

TABLE OF CONTENTS

CERTIFICATIONS	02
SCISSORS	06
NEEDLE HOLDERS ✓	32
FORCEPS ✓	42
OSTEOTOMES ✓	50
RASPS	53
MORSELIZERS	54
MARKERS	55
HOOKS	57
ENDO-FORHEAD	60
SCOPES	63
TOBIN ENDO-LASER CAPSULOTOMY SLEEVE	64
RETRACTORS	65
DISSECTORS	70
EQUIPMENT AND TABLE CLAMPS	71
COMPLETE SYSTEMS AND CAMERAS	72
ANALOG TO DIGITAL IMAGE CAPTURE DEVICE	73
LIGHT SOURCES / FIBEROPTIC CABLES / HEADLAMPS	74

SCISSORS

TUNGSTEN CARBIDE



STAINLESS STEEL

SUPERCUT

SCISSORS

Gorney Freeman F/L Straight

REF: GES-2010

TUNGSTEN
CARBIDE

Spread (open) shanks conform to the normal resting position of the hand thereby improving control and reducing fatigue.



Gorney Freeman F/L Curved

REF: GES-2020

TUNGSTEN
CARBIDE

Spread (open) shanks conform to the normal resting position of the hand thereby improving control and reducing fatigue.



Gorney F/L 5 5/8 In. Curved

REF: GES-2030

STAINLESS
STEEL

Original design with serrated stainless steel blades.



SCISSORS

Gorney F/L 5 5/8 In. Straight

REF: GES-2770

STAINLESS
STEEL



Original design with serrated stainless steel blades.

Gorney F/L 7 1/2 In. Straight

REF: GES-2040

STAINLESS
STEEL



Original design with serrated stainless steel blades.

Aston F/L Serrated 6 1/2 In. Curved

REF: GES-2050

TUNGSTEN
CARBIDE



Designed for undermining skin flaps. Double edge blades facilitate spread dissection.

SCISSORS

Aston F/L Serrated 8.0 In. Curved

GES-2060

TUNGSTEN
CARBIDE

Designed for undermining skin flaps. Double edge blades facilitate spread dissection.



Gorney Freeman F/L Curved

REF: GES-2020

TUNGSTEN
CARBIDE

Spread (open) shanks conform to the normal resting position of the hand thereby improving control and reducing fatigue.



Castanares F/L 6 1/4 In. Straight

GES-2080

TUNGSTEN
CARBIDE

Serrated with short sturdy blades for spreading soft tissue and cutting skin. Rounded tips prevent "buttonholing".



SCISSORS

PAR 4 1/2 In. Curved

GES-2090

TUNGSTEN
CARBIDE

Delicate with fine blades for precise dissection and cutting of delicate tissue.



PAR 5 3/4 In. Curved

GES-2100

TUNGSTEN
CARBIDE

Delicate with fine blades for precise dissection and cutting of delicate tissue.



PAR Serrated 4 1/2 In. Curved

GES-2110

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture securely for clean, precise cut.



SCISSORS

PAR Serrated 5 3/4 In. Curved

GES-2120

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture securely for clean, precise cut.



Stevens Tenotomy 4 1/2 In. Straight

GES-2130

TUNGSTEN
CARBIDE

Delicate blades with tapered tips that allow for precise cutting and dissection of fine tissues.



Stevens Tenotomy 4 1/2 In. Curved

GES-2140

TUNGSTEN
CARBIDE

Delicate blades with tapered tips that allow for precise cutting and dissection of fine tissues.



SCISSORS

Stevens Tenotomy 4 5/8 In. Curved

GES-2150

STAINLESS
STEEL

Excellent dissecting scissors for delicate tissue. Stainless steel blades.



Stevens Tenotomy 4 5/8 In. Straight

GES-2160

STAINLESS
STEEL

Excellent dissecting scissors for delicate tissue. Stainless steel blades.



Stevens Tenotomy 6 1/4 In. Curved

GES-2170

STAINLESS
STEEL

Excellent dissecting scissors for delicate tissue. Stainless steel blades.



SCISSORS

Devine 4 1/4 In. Curved

GES-2180

TUNGSTEN
CARBIDE

Fine dissecting scissors with sharp tips. Short, heavy blades minimize deflection when cutting or dissecting through tissue.



Strabismus 4 1/2 In. Curved

GES-2190

TUNGSTEN
CARBIDE

Delicate dissecting scissors with rounded tips. Useful for plastic and general dissecting surgery needs.



Aston F/L Serrated 6 1/2 In. Curved

REF: GES-2050

TUNGSTEN
CARBIDE

Designed for undermining skin flaps. Double edge blades facilitate spread dissection.



SCISSORS

Strabismus 4 1/2 In. Serrated Curved

GES-2210

TUNGSTEN
CARBIDE

One blade serrated to hold tissue or suture securely for clean precise cut.



Strabismus 4 1/2 In. Serrated Straight

GES-2220

TUNGSTEN
CARBIDE

One blade serrated to hold tissue or suture securely for clean precise cut.



Iris 4 1/2 In. Curved

GES-2230

TUNGSTEN
CARBIDE

Sharp tipped scissors provide superior distal cut of tissue and suture.



SCISSORS

Iris 4 1/2 In. Straight

GES-2240

TUNGSTEN
CARBIDE

Sharp tipped scissors provide superior distal cut of tissue and suture.



Iris 4 1/2 In. Serrated Curved

GES-2250

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture for clean precise cut.



Iris 4 1/2 In. Serrated Straight

GES-2260

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture for clean precise cut.



SCISSORS

Iris Supercut 4 1/2 In. Curved

GES-2270

TUNGSTEN
CARBIDE



Extremely sharp blades useful for cutting and dissection of tough tissues.

Iris Supercut 4 1/2 In. Straight

GES-2280

TUNGSTEN
CARBIDE



Extremely sharp blades useful for cutting and dissection of tough tissues.

Iris Swedish Pattern 4 1/4 In. Curved

GES-2290

STAINLESS
STEEL



General purpose Iris scissors with long blades and rounded shanks. Ideal for suture removal or delicate dissection.

SCISSORS

Iris Swedish Pattern 4 1/4 In. Straight

GES-2300

STAINLESS
STEEL

General purpose Iris scissors with long blades and rounded shanks. Ideal for suture removal or delicate dissection.



Iris American Pattern 4.0 In. Straight

GES-2310

STAINLESS
STEEL

General purpose Iris scissors ideal for suture removal or delicate dissection.



Iris American Pattern 4 1/2 In. Curved

GES-2320

STAINLESS
STEEL

General purpose Iris scissors ideal for suture removal or delicate dissection.



SCISSORS

Iris American Pattern 4 1/2 In. Straight

GES-2330

STAINLESS
STEEL



General purpose Iris scissors
ideal for suture removal or
delicate dissection.

McCollough Metzenbaum 5 3/4 In. Curved

GES-2340

TUNGSTEN
CARBIDE



Heavy pattern Metzenbaum.
Ideal for trimming tough
tissue.

Sealy Plastic 4 3/4 In. Curved

GES-2350

TUNGSTEN
CARBIDE



General purpose dissecting
scissors for precise cutting of
delicate tissues.

SCISSORS

Sealy Plastic 4 3/4 In. Straight

GES-2360

TUNGSTEN
CARBIDE

General purpose dissecting scissors for precise cutting of delicate tissues.




Septal Serrated 7 1/2 In. Angled

GES-2370

TUNGSTEN
CARBIDE

Designed for efficiency and flexibility in multiple surgical applications. Longer blades allow easy access.



Converse Angled 4.0 In.

GES-2380

STAINLESS
STEEL

Angled blades facilitate dissection of dense tissue.



SCISSORS

Nasal Tip Angled 3 3/4 In.

GES-2390

STAINLESS
STEEL



Very delicate angled blades facilitate spread dissection.

Joseph Nasal Curved 6 1/4 In.

GES-2400

STAINLESS
STEEL



Popular nasal scissors useful in dissecting and cutting dense tissues.

Fomon Dorsal Serrated 5 1/2 In. Angled

GES-2410

TUNGSTEN
CARBIDE



Angled shanks provide superior visibility.

SCISSORS

Metzenbaum 5 3/4 In. Curved

GES-2420

TUNGSTEN
CARBIDE

Popular dissecting scissors
with smooth rounded
scissors.



Metzenbaum 7.0 In. Curved

GES-2430

TUNGSTEN
CARBIDE

Popular dissecting scissors
with smooth rounded
scissors.



Metzenbaum Nelson 11.0 In. Curved

GES-2440

TUNGSTEN
CARBIDE

Popular dissecting scissors
with smooth rounded
scissors.



SCISSORS

Metzenbaum Serrated 5 3/4 In. Curved

GES-2450

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture for a clean precise cut.



Metzenbaum Serrated 7.0 In. Curved

GES-2460

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture for a clean precise cut.



Metzenbaum Serrated 9.0 In. Curved

GES-2470

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture for a clean precise cut.



SCISSORS

Metzenbaum Supercut 5 3/4 In. Curved

GES-2480

TUNGSTEN
CARBIDE

Extremely sharp blades useful for cutting and dissecting tough tissues.



Metzenbaum Supercut 7.0 In. Curved

GES-2490

TUNGSTEN
CARBIDE

Extremely sharp blades useful for cutting and dissecting tough tissues.



Metzenbaum Supercut 9.0 In. Curved

GES-2500

TUNGSTEN
CARBIDE

Extremely sharp blades useful for cutting and dissecting tough tissues.



SCISSORS

Delicate Metzenbaum 5 3/4 In. Curved

GES-2510

TUNGSTEN
CARBIDE



Light and well balanced with delicate rounded tips.

Delicate Metzenbaum 7.0 In. Curved

GES-2520

TUNGSTEN
CARBIDE



Light and well balanced with delicate rounded tips.

Delicate Metzenbaum 9.0 In. Curved

GES-2530

TUNGSTEN
CARBIDE



Light and well balanced with delicate rounded tips.

SCISSORS

Delicate Metzenbaum Serrated 9.0 In. Curved

GES-2570

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture for a clean precise cut.



Metzenbaum Sharp/Sharp 5 3/4 In. Curved

GES-2580

TUNGSTEN
CARBIDE

Sharp/Sharp tipped delicate scissors for precise cutting all the way to the tips.



Metzenbaum Sharp/Sharp 7.0 In. Curved

GES-2590

TUNGSTEN
CARBIDE

Sharp/Sharp tipped delicate scissors for precise cutting all the way to the tips.



SCISSORS

Mayo 5 1/2 In. Curved

GES-2600

TUNGSTEN
CARBIDE

For routine dissection and cutting of all types; sturdy, durable and able to cut the heaviest tissues.



Mayo 5 1/2 In. Straight

GES-2610

TUNGSTEN
CARBIDE

For routine dissection and cutting of all types; sturdy, durable and able to cut the heaviest tissues.



Mayo 6 3/4 In. Curved

GES-2620

TUNGSTEN
CARBIDE

For routine dissection and cutting of all types; sturdy, durable and able to cut the heaviest tissues.



SCISSORS

Mayo 6 3/4 In. Straight

GES-2630

TUNGSTEN
CARBIDE

For routine dissection and cutting of all types; sturdy, durable and able to cut the heaviest tissues.



Mayo Serrated 6 3/4 In. Curved

GES-2640

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture for a clean precise cut.



Mayo Serrated 6 3/4 In. Straight

GES-2650

TUNGSTEN
CARBIDE

Lower blade serrated to hold tissue or suture for a clean precise cut.



SCISSORS

Mayo Supercut 6 3/4 In. Curved

GES-2660

TUNGSTEN
CARBIDE



Extremely sharp blades for cutting and dissection of tough tissues.

Mayo Supercut 6 3/4 In. Straight

GES-2670

TUNGSTEN
CARBIDE



Extremely sharp blades for cutting and dissection of tough tissues.

Operating Sharp/Blunt 5 1/2 In. Straight

GES-2680

TUNGSTEN
CARBIDE



General utility scissors. One tip sharp, one tip blunt for cutting gauze, suture, ect.

SCISSORS

Operating Sharp/Blunt 5 1/2 In. Curved
GES-2690

TUNGSTEN
CARBIDE

General utility scissors. One tip sharp, one tip blunt for cutting gauze, suture, ect.



Operating Sharp/Sharp 5 1/2 In. Straight
GES-2700

TUNGSTEN
CARBIDE

Sharp tipped, useful for cutting delicate tissues.



Operating Sharp/Sharp 5 1/2 In. Curved
GES-2710

TUNGSTEN
CARBIDE

Sharp tipped, useful for cutting delicate tissues.



SCISSORS

Operating Blunt/Blunt 5 1/2 In. Straight

GES-2720

TUNGSTEN
CARBIDE

General utility scissors useful
for cutting gauze, sutures,
ect.



Operating Blunt/Blunt 5 1/2 In. Curved

GES-2730

TUNGSTEN
CARBIDE

General utility scissors useful
for cutting gauze, sutures,
ect.



Littler 5.0 In. Curved

GES-2740

STAINLESS
STEEL

Fine dissecting scissors with
hole in the distal part of the
blade so suture can be
threaded if needed.



SCISSORS

Spencer Stitch Removal 3 1/2 In. Straight

GES-2750

STAINLESS
STEEL

Delicate suture removal scissors ideal for office use. Crescent shaped tip for easy insertion under fine suture.



O'Brien Angled Stitch 3 3/4 In.

GES-2760

STAINLESS
STEEL

Suture removal scissors ideal for office use. Angled to the side blades with sharp points for ease of suture removal.



NEEDLE HOLDERS

Webster 4 1/2 inches Smooth

REF: TC13-0005

TUNGSTEN
CARBIDE

Delicate smooth jaws. Intended for use with 6/0 suture and finer.



Halsey 5.0 inches 4000 Jaw

REF: TC13-0010

TUNGSTEN
CARBIDE

General purpose plastic surgery needle holder with long delicate jaws intended for 5/0 suture and finer.



Halsey 5.0 inches Smooth Jaws

REF: TC13-0015

TUNGSTEN
CARBIDE

General purpose plastic surgery needle holder with long delicate jaws intended for 5/0 suture and finer.



NEEDLE HOLDERS

PAR 4 1/2 inches 7000 Jaw

REF: TC13-0020

TUNGSTEN
CARBIDE

Extremely delicate tips and fine teeth for 6/0 to 8/0 suture.



PAR 5.0 inches 7000 Jaw

REF: TC13-0025

TUNGSTEN
CARBIDE

Extremely delicate tips and fine teeth for 6/0 to 8/0 suture.



Ultra-Delicate 4 3/4 inches Diamond Dust

REF: TC13-0030

TUNGSTEN
CARBIDE

Angled Handles

Light action with fine tips for delicate soft tissue surgery. Intended for use with 6/0 suture and finer with delicate needles.



NEEDLE HOLDERS

Ultra-Delicate 4 3/4 inches Diamond Dust

REF: TC13-0035



TUNGSTEN
CARBIDE

Straight Handles

Light action with fine tips for delicate soft tissue surgery. Intended for use with 6/0 suture and finer with delicate needles.



DERF 4 3/4 inches 4000 Jaw

REF: TC13-0040

TUNGSTEN
CARBIDE

Short, delicate jaws. Primarily used in plastic procedures. Intended for 4/0 to 6/0 suture.



Neivert Offset 5.0 inches 4000 Jaw

REF: TC13-0045

TUNGSTEN
CARBIDE

Modified Halsey with one ring angled for easier handling. Intended for 5/0 suture and finer.



NEEDLE HOLDERS

Swedish 6.0 inches 7000 Jaw

REF: TC13-0050

TUNGSTEN
CARBIDE

Delicate tips with extremely light shanks for greater balance and sensitivity. Intended for 5/0 to 7/0 suture.



Ryder 6.0 inches 4000 Jaw

REF: TC13-0055

TUNGSTEN
CARBIDE

Fine parallel jaws prevent flattening of needles. Intended for 4/0 to 6/0 suture. Also known as Neurosurgical needle holder.



Ryder 7.0 inches 4000 Jaw

REF: TC13-0060

TUNGSTEN
CARBIDE

Fine parallel jaws prevent flattening of needles. Intended for 4/0 to 6/0 suture. Also known as Neurosurgical needle holder.



NEEDLE HOLDERS

Ryder 5.0 inches 4000 Jaw

REF: TC13-0065

TUNGSTEN
CARBIDE

Fine parallel jaws prevent flattening of needles. Intended for 4/0 to 6/0 suture. Also known as Neurosurgical needle holder.



Ryder 5.0 inches Smooth Jaw

REF: TC13-0070

TUNGSTEN
CARBIDE

Fine parallel jaws prevent flattening of needles. Intended for 4/0 to 6/0 suture. Also known as Neurosurgical needle holder.



Ryder 1mm 5.0 inches 7000 Jaw

REF: TC13-0075

TUNGSTEN
CARBIDE

Extremely delicate pattern with 1mm wide parallel jaws to prevent flattening of needles. Intended for 6/0 to 8/0 suture.



NEEDLE HOLDERS

Ryder 1mm 6.0 inches 7000 Jaw

REF: TC13-0080

TUNGSTEN
CARBIDE

Extremely delicate pattern with 1mm wide parallel jaws to prevent flattening of needles. Intended for 6/0 to 8/0 suture.



Ryder 1mm 7.0 inches 7000 Jaw

REF: TC13-0085

TUNGSTEN
CARBIDE

Extremely delicate pattern with 1mm wide parallel jaws to prevent flattening of needles. Intended for 6/0 to 8/0 suture.



Microvascular 6.0 inches 4000 Jaw

REF: TC13-0090

TUNGSTEN
CARBIDE

Delicate with fine tapered points. Ideal for work with 5/0 to 6/0 suture.



NEEDLE HOLDERS

Microvascular 7.0 inches 4000 Jaw

REF: TC13-0095

TUNGSTEN
CARBIDE



Delicate with fine tapered points. Ideal for work with 5/0 to 6/0 suture.

Crile-Wood 6.0 inches 4000 Jaw

REF: TC13-0100

TUNGSTEN
CARBIDE



Medium jaw pattern. Intended for 4/0 to 6/0 suture.

Crile-Wood 8.0 inches 4000 Jaw

REF: TC13-0110

TUNGSTEN
CARBIDE



Medium jaw pattern. Intended for 4/0 to 6/0 suture.

NEEDLE HOLDERS

Mayo Hegar 6.0 inches 2500 Jaw

REF: TC13-0120

TUNGSTEN
CARBIDE

Most commonly used general purpose needle holders. Intended for use with 1/0 to 4/0 suture.



Mayo Hegar 7.0 inches 2500 Jaw

REF: TC13-0130

TUNGSTEN
CARBIDE

Most commonly used general purpose needle holders. Intended for use with 1/0 to 4/0 suture.



Mayo Hegar 8.0 inches 2500 Jaw

REF: TC13-0140

TUNGSTEN
CARBIDE

Most commonly used general purpose needle holders. Intended for use with 1/0 to 4/0 suture.



NEEDLE HOLDERS

Olsen Hegar 5 1/2 inches 4000 Jaw

REF: TC13-0145

TUNGSTEN
CARBIDE



Combination needle holder and scissors. Intended for 4/0 to 6/0 suture.

Olsen Hegar 6 1/2 inches 4000 Jaw

REF: TC13-0150

TUNGSTEN
CARBIDE



Combination needle holder and scissors. Intended for 4/0 to 6/0 suture.

Olsen Hegar 7 1/2 inches 4000 Jaw

REF: TC13-0155

TUNGSTEN
CARBIDE



Combination needle holder and scissors. Intended for 4/0 to 6/0 suture.

NEEDLE HOLDERS

Olsen Webster 4 1/2 inches Smooth Jaw

REF: TC13-0160

TUNGSTEN
CARBIDE

Combination needle holder and scissors with very delicate jaws. Intended for use with 6/0 to 8/0 suture.



Olsen Webster 4 1/2 inches 7000 Jaw

REF: TC13-0165

TUNGSTEN
CARBIDE

Combination needle holder and scissors with very delicate jaws. Intended for use with 6/0 to 8/0 suture.



Olsen Webster 4 1/2 inches Diamond Dust

REF: TC13-0170



TUNGSTEN
CARBIDE

Combination needle holder and scissors with very delicate jaws. Intended for use with 6/0 to 8/0 suture.



FORCEPS

Adson 4 3/4 inches 4000 Jaw

REF: ESF-0500-TC

TUNGSTEN
CARBIDE




General purpose forceps
with wide gripping surface for
increased control.

Adson Dressing 4 3/4 inches Serrated

REF: ESF-0505

STAINLESS
STEEL




Stainless steel with serrated
jaws.

Adson Dressing 4 3/4 inches Cross Serrated

REF: ESF-0510

STAINLESS
STEEL



Stainless steel with cross
serrated jaws. Ideal for
removal of fine suture.


FORCEPS

Adson 1 x 2 Teeth 4 3/4 inches 4000 Jaw

REF: ESF-0515-TC

TUNGSTEN
CARBIDE

General purpose forcep with wide jaw surface and 1x2 teeth for increased control and gripping power.




Adson 1 x 2 Teeth 6.0 inches 4000 Jaw

REF: ESF-0520-TC

TUNGSTEN
CARBIDE

General purpose forcep with wide jaw surface and 1x2 teeth for increased control and gripping power.




Adson Tissue 1 x 2 Teeth 4 3/4 inches

REF: ESF-0525

STAINLESS
STEEL

Stainless steel with 1x2 teeth.




FORCEPS

Adson Tissue 1 x 2 Teeth 4 3/4 inches

REF: ESF-0530

STAINLESS
STEEL

Suture Tying Platform




Stainless steel with 1x2 teeth.

Brown Adson 4 3/4 inches 4000 Jaw

REF: ESF-0535-TC

TUNGSTEN
CARBIDE



Small multiple teeth eliminate traumatizing effect of the larger 1x2 teeth pattern.

Brown Adson 6.0 inches 4000 Jaw

REF: ESF-0540-TC

TUNGSTEN
CARBIDE



Small multiple teeth eliminate traumatizing effect of the larger 1x2 teeth pattern.

FORCEPS

Brown Adson 4 3/4 inches Brown Teeth

REF: ESF-0545

STAINLESS
STEEL



Stainless steel with multiple teeth. Ideal for atraumatic handling of tough tissue.

Gorney Adson 1x2 Teeth 4 3/4 inches

Diamond Dust

REF: ESF-0550-TC

TUNGSTEN
CARBIDE



Extremely fine 1x2 teeth with Diamond Dust tying platform for secure handling of delicate tissue and 6/0 to 8/0 suture.

Delicate 4 3/4 inches Diamond Dust

REF: ESF-0555-TC

TUNGSTEN
CARBIDE



Designed for accurate tissue and needle handling. Fine teeth and Diamond Dust tying platform provides secure grip of fine needles and tissue. Ergonomic design and non-slip handle for comfort and control.

FORCEPS

Castroviejo 4.0 inches Diamond Dust

REF: ESF-0560-TC



TUNGSTEN
CARBIDE

.3mm tip

Extremely delicate tissue forceps with fine teeth and Diamond Dust tying platform to enhance handling of delicate tissue and suture.



Castroviejo 4.0 inches Diamond Dust

REF: ESF-0565-TC



TUNGSTEN
CARBIDE

.6mm tip

Extremely delicate tissue forceps with fine teeth and Diamond Dust tying platform to enhance handling of delicate tissue and suture.



Bayonet 7 3/4 inches 7000 Jaw

REF: ESF-0615-TC

TUNGSTEN
CARBIDE

Rounded handle bayonet forceps designed for maximum visualization and fingertip control. Features a carbide insert for secure needle handling and tissue grasping.



FORCEPS

Julian Suture 4 3/8 inches Smooth Jaw

REF: ESF-0575

STAINLESS
STEEL



Excellent for removal of delicate sutures due to smooth jaw on a raised platform.

Bishop Harmon 3 1/2 inches 1x2 Teeth

REF: ESF-0580

STAINLESS
STEEL



Light action forceps ideal for grasping of delicate tissue.

Gillies Dissecting 6.0 inches Serrated

REF: ESF-0585

STAINLESS
STEEL



Fine jaws and delicate 1x2 teeth provide secure grip.

FORCEPS

Cushing 7.0 inches 4000 Jaw

REF: ESF-0590-TC

TUNGSTEN
CARBIDE



Ideal for soft tissue work and general suturing.

Potts Smith 8.0 inches 4000 Jaw

REF: ESF-0595-TC

TUNGSTEN
CARBIDE



Useful for grasping delicate tissue and suture.

Potts Smith 9.0 inches 4000 Jaw

REF: ESF-0600-TC

TUNGSTEN
CARBIDE



Useful for grasping delicate tissue and suture.

FORCEPS

Gerald 7.0 inches 7000 Jaw

REF: ESF-0605-TC

TUNGSTEN
CARBIDE

Delicate tapered 1mm tip for working with fine tissues and suture.



DeBakey 8.0 inches 1.5mm Jaw

REF: ESF-0610

STAINLESS
STEEL

DeBakey serration for the atraumatic handling of delicate tissue.



OSTEOTOMES

Lateral Nasal

REF: EO-3720

STAINLESS
STEEL

Double guarded to prevent protrusion and protect delicate tissue. "V" shaped blade facilitates precise control.



Silver

REF: EO-3721 18.0 cm Right

REF: EO-3722 18.0 cm Left

STAINLESS
STEEL

Wedge shaped blade facilitates precise control during procedure. Large guard provides visual reference to level and position of cutting surfaces.



Anderson Neivert

REF: EO-3723 20.0 cm Straight

REF: EO-3724 20.0 cm Right

REF: EO-3725 20.0 cm Left

STAINLESS
STEEL

Special delicate guarded osteotome designed for control.



OSTEOTOMES

Rubin

REF: EO-3726 18.0 cm 10 mm

REF: EO-3727 18.0 cm 12 mm

REF: EO-3728 18.0 cm 14 mm

These osteotomes feature a stabilizer which helps prevent lateral rotation and cutting edges with rounded corners to reduce unwanted tissue damage.



STAINLESS
STEEL

Cinelli

REF: EO-3729 18.0 cm 10 mm

REF: EO-3730 18.0 cm 12 mm

REF: EO-3731 18.0 cm 14 mm

REF: EO-3732 18.0 cm 16 mm

Popular osteotome. Double guarded to prevent protrusion and protect delicate tissue,



STAINLESS
STEEL

Sheehan

REF: EO-3733 16.0 cm 2 mm

REF: EO-3734 16.0 cm 4 mm

REF: EO-3735 16.0 cm 6 mm

REF: EO-3736 16.0 cm 8 mm

REF: EO-3737 16.0 cm 10 mm

Sturdy, sharp multi-purpose osteotome.



STAINLESS
STEEL

OSTEOTOMES

Fomon

REF: EO-3738 17.0 cm 4 mm

REF: EO-3739 17.0 cm 5 mm

REF: EO-3740 17.0 cm 6 mm

REF: EO-3741 17.0 cm 7 mm

REF: EO-3742 17.0 cm 8 mm

STAINLESS
STEEL



Popular guarded osteotome for controlled cuts.

RASPS

Double End Rasps

REF: ESR-3010 #1 & #2 Grit 8.5 IN.


REF: ESR-3020 #3 & #4 Grit 8.5 IN.

REF: ESR-3030 #5 & #6 Grit 8.5 IN.

REF: ESR-3040 #7 & #8 Grit 8.5 IN.

Double ended provides two working surfaces with excellent cutting capabilities.

(Grit #1 is fine to Grit #8 course)



Single End Rasps

REF: ESR-4010 #1 Grit 8.0 IN.

REF: ESR-4020 #2 Grit 8.0 IN.

REF: ESR-4030 #3 Grit 8.0 IN.

REF: ESR-4040 #4 Grit 8.0 IN.

REF: ESR-4050 #5 Grit 8.0 IN.

REF: ESR-4060 #6 Grit 8.0 IN.

REF: ESR-4070 #7 Grit 8.0 IN.

REF: ESR-4080 #8 Grit 8.0 IN.

Single End Rasp with large handle for firm, controlled grip with excellent cutting capabilities.

(Grit #1 is fine to Grit #8 course)



MORSELIZERS

Cartilage Crusher

REF: ER-4410

Useful for reforming soft tissue prior to re-insertion. Tissue is placed in the groove, upper arm is then closed and struck with mallet.

STAINLESS
STEEL




Cartilage Crusher Serrated Base

REF: ER-4420

Useful for reforming soft tissue prior to re-insertion. Tissue is placed in the groove, upper arm is then closed and struck with mallet. Serrated base.

STAINLESS
STEEL



MARKERS

McKissock Keyhole Pattern



REF: ER-4710 50mm Pattern

REF: ER-4720 45mm Pattern

REF: ER-4630 42mm Pattern

REF: ER-4640 38mm Pattern

Accurately marks amount of tissue for excision. Limbs are semi-malleable for fine adjustments.



Freeman Areola Marker

REF: ER-4650 36mm Marker

REF: ER-4660 34mm Marker


REF: ER-4670 50mm Marker

REF: ER-4680 45mm Marker

REF: ER-4690 42mm Marker

REF: ER-4700 38mm Marker

Facilitates marking of the areola prior to incision.



usually go together

Four Ring Marker

REF: EM-4540

Allows for choice of four different diameters; 40mm, 44mm, 48mm and 52mm. Must be used with marking ink.



MARKERS

D'Assumpcao F/L

REF: EM-2300

STAINLESS
STEEL



Facilitates the precise marking
of dissected flaps for excision.
Eliminates the guess work.

D'Assumpcao F/L with Ratchet

REF: EM-2310

STAINLESS
STEEL



Facilitates the precise marking
of dissected flaps for excision.
Eliminates the guess work.

Umbilicas Marker

REF: ER-5642 290 mm 180mm

STAINLESS
STEEL



Allow for the precise, error
free marking of the umbilicas.

HOOKS

Converse

REF: ER-4430 Small

REF: ER-4440 Medium

REF: ER-4450 Large

STAINLESS
STEEL

Shepherd crook design.
Superior general purpose
hook.



Straight

REF: ER-4460 Large

REF: ER-4470 Small

STAINLESS
STEEL

General purpose straight
hook on a lightweight handle.



Freeman Skin Rake 3" Loop

REF: ER-4570

STAINLESS
STEEL

Designed to facilitate rapid
undermining of flap while
maintaining variable traction.



HOOKS

Freeman Skin Rake

REF: ER-4550 Small

REF: ER-4560 Small, Teeth in line

STAINLESS
STEEL

Four prong retractor provides superb exposure of dissected skin.



Thumb Hook

REF: ER-4500 Single

REF: ER-4510 Double

STAINLESS
STEEL

Fits over surgeon's thumb to provide retraction with minimal effort.



Freeman Skin Rake

REF: ER-4520

REF: ER-4530 Modified

STAINLESS
STEEL

Four prong retractor provides superb exposure of dissected skin.



HOOKS

Mini Skin Rake

REF: ER-4540

STAINLESS
STEEL



Designed to aid in retraction during open procedures.

ENDO-FOREHEAD

Endo-Forehead Punch

REF: EF-1010 Left Curved 12.5 cm

REF: EF-1011 Right Curved 12.5 cm

Allows atraumatic resection while minimizing the risk of damaging adjacent skin. The sharp, laterally-curved jaw is shielded by the lower biting surface when closed. Insulated shaft.



TUNGSTEN
CARBIDE

Endo-Forehead Grasping Forceps

REF: EF-2010 Left Curved 12.5 CM

REF: EF-2011 Right Curved 12.5 CM

Designed for manipulation and cauterization. Special jaws allow traction as well as grasping. Insulated shaft.



TUNGSTEN
CARBIDE

Nicanor Isse MD Endo-Forehead Elevator

REF: EF-3016-I

Designed by Nicanor Isse MD. 23 cm in length with finger rests for maximum control and comfort. Designed to make dissection easier for endo-facial procedures. Distal end has special angled, tapered tip.



STAINLESS
STEEL

ENDO-FOREHEAD

Endo-Forehead Elevator

REF: EF-3011 Half Curved

REF: EF-3012 Straight

REF: EF-3013 Quarter Curved

REF: EF-3014 Full Curved

This elevator is shaped to anatomical contours. The curvatures and tips are designed to give tactile feedback.



STAINLESS
STEEL

Endo-Forehead Nerve Elevator

REF: EF-3015

Tapered and sharp tipped to facilitate exposure.



STAINLESS
STEEL

Scalp Elevator

REF: EF-3010

Designed for soft tissue elevation. The flat tip with rounded edges permits atraumatic elevation while the curve permits easy access.



STAINLESS
STEEL

ENDO-FOREHEAD

Endo-Forehead Cannula

REF: EFC-0005 5mm with stop cock

REF: EFC-0004 4mm with stop cock

REF: EFC-0003 3mm with stop cock

REF: EFC-0002 2mm with stop cock

Specially designed for shielding the scope tip from surrounding tissues. Flat tip design for improved view.



STAINLESS
STEEL

“ISSE” Endo-Forehead Cannula

REF: EFC-0005-I 5mm “ISSE” Endo Cannula

REF: EFC-0004-I 4mm “ISSE” Endo Cannula

Designed by: Nicanor Isse MD.
A hooded distal end for improved view.



STAINLESS
STEEL

SCOPES

Scopes, Autoclavable

STAINLESS
STEEL

REF: EPS-1043 10mm 42 cm 30 deg. (for transumbilical)

REF: EPS-1070 10mm 7 in 0 deg.

REF: EPS-1073 10mm 7 in 30 deg.

REF: EPS-1030 10mm 30 cm 0 deg.

REF: EPS-1033 10mm 30 cm 30 deg.

REF: EPS-0870 8mm 7 in 0 deg.

REF: EPS-0873 8mm 7 in 30 deg.

REF: EPS-0570 5mm 7 in 0 deg.

REF: EPS-0573 5mm 7 in 30 deg.

REF: EPS-0470 4mm 7 in 0 deg.

REF: EPS-0473 4mm 7 in 30 deg.

REF: EPS-0477 4mm 7 in 70 deg.

REF: EPS-0270 2mm 7 in 0 deg.

REF: EPS-0273 2mm 7 in 30 deg.

REF: EPS-0277 2mm 7 in 70 deg.




Manufactured by the worlds finest German company and uses only the highest quality optical lenses available. Specially designed scopes for endoscopic plastic surgery procedures. Combines superior optics and illumination in all the correct lengths and diameters for a variety of procedures.

Tobin Capsulotomy Sleeve

Tobin Endo-Laser Capsulotomy Sleeve

REF: TLCS-4071



DESIGNED IN COOPERATION WITH HOWARD TOBIN MD.

This instrument was developed by Howard Tobin MD. and consists of a specially designed sleeve that works with the aide of a 4mm, 30 degree, 7 inch scope. The double stop-cocks allow irrigation when needed to clean the end of the scope. The sleeve has dual suction ports and a guide tube for the CO2 laser fiber. The hooded end of the sleeve serves to lift the implant away from the laser field and also provide a precise aiming point. The configuration of suction, laser, and endoscope allows for precise visualization of capsulotomy and control of bleeding. Made of the highest quality surgical grade stainless steel, the device is steam sterilizable. Available only from KMI.

RETRACTORS

Breast Retractor Fiber-Optic & Suction

REF: BR-5538 Serrated blade 90 mm x 24 mm

REF: BR-5539 Serrated blade 90 mm x 30 mm

REF: BR-5540 Serrated blade 115 mm x 24 mm

REF: BR-5541 Serrated blade 150 mm x 36 mm

REF: BR-5542 Serrated blade 190 mm x 30 mm

REF: BR-5543 Smooth blade 90 mm x 24 mm

REF: BR-5544 Smooth blade 90 mm x 30 mm

REF: BR-5545 Smooth blade 115 mm x 24 mm

REF: BR-5546 Smooth blade 150 mm x 36 mm

REF: BR-5547 Smooth blade 190 mm x 30 mm

STAINLESS
STEEL



Retractors designed to enhance visualization and control during a wide range of procedures. Suction port to provide for smoke evacuation if needed. Serrated blades prevent tissue slippage.

**ALSO AVAILABLE WITH OUT FIBER-OPTICS,
CALL FOR MORE DETAILS AND ORDER NUMBERS**

RETRACTORS

Double Ended Breast Retractor

REF: BR-5610

STAINLESS
STEEL

Versatile double-ended retractor for multiple applications. Ergonomically designed handle maximizes comfort while using retractor for long periods of time.



Economic Breast Retractor Serrated

REF: ER-4380

STAINLESS
STEEL

Dual sided economical breast retractor with teeth on each end to prevent tissue slippage. Made of 400 series surgical stainless steel.




"S" Retractor

REF: ER-4370

STAINLESS
STEEL

General "S" shaped retractor. Made from Hardened 400 series surgical stainless steel.



RETRACTORS

Biggs Face Lift

REF: ER-4600

STAINLESS
STEEL



Superior retraction at the distal end, while allowing visualization. The curve removes the surgeons hand from the operating field.

Freeman Flap

REF: ER-4590 Width 1"

STAINLESS
STEEL




Tissue is held securely but gently in the bend of the retractor. Tip is slightly curved downward for elevation and visualization.

Benicke

REF: ER-5640 19.0 cm Sharp

REF: ER-5641 19.0 cm Blunt

STAINLESS
STEEL



A break through in double retractors. A uniquely designed "push", "pull" hook at one end allows for use in multiple procedures.


RETRACTORS

Aufricht

REF: ER-4620

REF: ER-4610 With Fiber Optics

Designed with a custom curved and atraumatic stabilizing teeth at the tip for stability.



STAINLESS
STEEL

Mini Langen Beck

REF: ER-4730 10 x 6 mm

Thin blade general retractor. Tip slightly angled to prevent slippage.



STAINLESS
STEEL

Langen Beck

REF: ER-4740 30 x 11 mm

General retractor. Tip slightly angled to prevent slippage.



STAINLESS
STEEL

RETRACTORS

DesMarres Lid

REF: ER-4920 5 1/2" x 10mm

REF: ER-4930 5 1/2" x 10mm Insulated

REF: ER-4940 5 1/2" x 12mm

REF: ER-4950 5 1/2" x 12mm Insulated

REF: ER-4960 5 1/2" x 14mm

REF: ER-4970 5 1/2" x 14mm Insulated

REF: ER-4980 5 1/2" x 16mm

REF: ER-4990 5 1/2" x 16mm Insulated

STAINLESS
STEEL



Popular general purpose retractors used on delicate tissues.

Deaver Retractor

REF: ER-4800 1 inch x 9 inches

STAINLESS
STEEL



Popular general purpose retractors used on delicate tissues.

Deaver Retractor

REF: ER-4810 1 inch x 12 inches

REF: ER-4820 1 inch x 13 inches

REF: ER-4830 1 1/2 inch x 12 inches

REF: ER-4840 2 inch x 12 inches

REF: ER-4850 3 inch x 12 inches

STAINLESS
STEEL




Popular general purpose retractors used on delicate tissues.

DISSECTORS

Agris Dingman

REF: ADD 14 inches (36cm)

STAINLESS
STEEL



Rounded, flattened tip enhances dissection. Can be modified with sharp tip if desired. Sold in pairs only.

MacCollum Dingman

REF: MDD 16 inches (41cm)

STAINLESS
STEEL



Designed to facilitate tissue dissection.

Sub-Glandular Paddle

REF: SBP

STAINLESS
STEEL

The sub-glandular breast paddle is a one piece instrument. The paddle portion of the device is made of surgical grade stainless steel and measures 25cm in length. The lateral edges of the paddle are formed in a manner to allow for easy dissection with minimal effort.

